

Identification: 17

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:28 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900078
Accession #: 180816-15330
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 44

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900099

Collected by: MOE MOSES

Accession #: 180816-15331

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:28 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay	TLC - Thin Layer Chromatography
EIA - Enzyme-Immunoassay	GC-FID - Gas Chromatography - Flame Ionization Detector
ELISA - Enzyme-Linked Immunosorbent Assay	GC/MS - Gas Chromatography / Mass Spectrometry
RIA - Radio-Immunoassay	LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 26

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:28 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900109
Accession #: 180816-15332
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 73

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900097

Collected by: MOE MOSES

Accession #: 180816-15333

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:29 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 11

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:29 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900108
Accession #: 180816-15334
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 62

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900096

Collected by: MOE MOSES

Accession #: 180816-15335

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:29 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 74

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:29 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900106
Accession #: 180816-15336
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 55

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:29 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900080
Accession #: 180816-15337
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 21

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:30 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900079
Accession #: 180816-15338
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 15

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:30 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900100
Accession #: 180816-15339
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 7

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:30 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900111
Accession #: 180816-15340
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.
- Specimen is dilute (see Creatinine)

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Specimen Validity Tests

Test	Result	Method	Reference Range
Creatinine	15.5 mg/dL	Colorimetric	≥20 mg/dL

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 18

Client: NZIFBB

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:32 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900112
Accession #: 180816-15341
Specimen Type: Urine

119 Wellesley St W
 Auckland, . 1010
 Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 42

DOB:
Sex:
Collected by: MOE MOSES
Collected:
Received: 08/16/2018 5:33 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900121
Accession #: 180816-15342
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 75

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:33 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900122
Accession #: 180816-15343
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 9

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:33 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900101
Accession #: 180816-15344
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 16

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900113

Collected by: MOE MOSES

Accession #: 180816-15345

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:34 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 49

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900102

Collected by: MOE MOSES

Accession #: 180816-15346

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:34 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 79

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:34 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900123
Accession #: 180816-15347
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 5

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:34 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900115
Accession #: 180816-15348
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 75

DOB:
Sex:
Collected by: C. BOLD
Collected: 08/08/2018
Received: 08/16/2018 5:35 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900130
Accession #: 180816-15349
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 24

DOB:
Sex:
Collected by: C. BOLD
Collected: 08/08/2018
Received: 08/16/2018 5:35 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900138
Accession #: 180816-15350
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay	TLC - Thin Layer Chromatography
EIA - Enzyme-Immunoassay	GC-FID - Gas Chromatography - Flame Ionization Detector
ELISA - Enzyme-Linked Immunosorbent Assay	GC/MS - Gas Chromatography / Mass Spectrometry
RIA - Radio-Immunoassay	LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 45

DOB:
Sex:
Collected by: B INGLIS
Collected: 08/08/2018
Received: 08/16/2018 5:36 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900139
Accession #: 180816-15351
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 23

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900137

Collected by: C. BOLD

Accession #: 180816-15352

Auckland, . 1010

Collected: 08/03/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:36 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 22

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900128

Collected by: C. BOLD

Accession #: 180816-15353

Auckland, . 1010

Collected: 08/08/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:36 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 54

DOB:
Sex:
Collected by: B INGLIS
Collected: 08/08/2018
Received: 08/16/2018 5:36 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900124
Accession #: 180816-15354
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 76

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:37 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900081
Accession #: 180816-15355
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 38

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900103

Collected by: MOE MOSES

Accession #: 180816-15356

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:37 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 52

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900082

Collected by: MOE MOSES

Accession #: 180816-15357

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:38 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 3

DOB:
Sex:
Collected by: C. BOLD
Collected: 08/08/2018
Received: 08/16/2018 5:38 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900127
Accession #: 180816-15358
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 46

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900083

Collected by: C. BOLD

Accession #: 180816-15359

Auckland, . 1010

Collected: 08/08/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:38 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 1

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:38 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900104
Accession #: 180816-15360
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 20

DOB:
Sex:
Collected by: MOE MOSES
Collected:
Received: 08/16/2018 5:39 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900116
Accession #: 180816-15361
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 25

DOB:
Sex:
Collected by: C. BOLD
Collected: 08/08/2018
Received: 08/16/2018 5:39 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900125
Accession #: 180816-15362
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 36

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900117

Collected by: MOE MOSES

Accession #: 180816-15363

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:39 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone, 19-Norandrosterone or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 35

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900085

Collected by: B INGLIS

Accession #: 180816-15364

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:39 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 4

DOB:
Sex:
Collected by: C. BOLD
Collected: 08/08/2018
Received: 08/16/2018 5:40 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900140
Accession #: 180816-15365
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 80

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900126

Collected by: C. BOLD

Accession #: 180816-15366

Auckland, . 1010

Collected: 08/08/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:40 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 47

DOB:
Sex:
Collected by: C. BOLD
Collected: 08/02/2018
Received: 08/16/2018 5:40 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900136
Accession #: 180816-15367
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 19

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900133

Collected by: C. BOLD

Accession #: 180816-15368

Auckland, . 1010

Collected: 08/08/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:40 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrosterone or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 40

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900135

Collected by: C. BOLD

Accession #: 180816-15369

Auckland, . 1010

Collected: 08/05/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:41 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 56

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900141

Collected by: C. BOLD

Accession #: 180816-15370

Auckland, . 1010

Collected: 08/08/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:41 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 51

Client: NZIFBB

DOB:
Sex:
Collected by: B INGLIS
Collected:
Received: 08/16/2018 5:41 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900143
Accession #: 180816-15372
Specimen Type: Urine

119 Wellesley St W
 Auckland, . 1010
 Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 12

DOB:
Sex:
Collected by: C. BOLD
Collected: 08/08/2018
Received: 08/16/2018 5:42 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900145
Accession #: 180816-15373
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 31

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900146

Collected by: C. BOLD

Accession #: 180816-15374

Auckland, . 1010

Collected: 08/05/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:42 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 50

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:42 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900105
Accession #: 180816-15375
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 30

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900107

Collected by: MOE MOSES

Accession #: 180816-15376

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:42 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 24

DOB:
Sex:
Collected by: MOE MOSES
Collected: 08/04/2018
Received: 08/16/2018 5:43 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900076
Accession #: 180816-15377
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 77

DOB:
Sex:
Collected by: MOE MOSES
Collected:
Received: 08/16/2018 5:43 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900119
Accession #: 180816-15378
Specimen Type: Urine

Client: NZIFBB
 119 Wellesley St W
 Auckland, . 1010
 Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 33

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900077

Collected by: MOE MOSES

Accession #: 180816-15379

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:43 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 2 KP.

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900120

Collected by: MOE MOSES

Accession #: 180816-15380

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:43 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 13

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900118

Collected by: MOE MOSES

Accession #: 180816-15381

Auckland, . 1010

Collected:

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:43 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 53

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900098

Collected by: MOE MOSES

Accession #: 180816-15382

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:44 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 72

Client: NZIFBB

DOB:
Sex:
Collected by: C. BOLD
Collected:
Received: 08/16/2018 5:44 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900084
Accession #: 180816-15383
Specimen Type: Urine

119 Wellesley St W
 Auckland, . 1010
 Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 27

DOB:
Sex:
Collected by: B INGLIS
Collected:
Received: 08/16/2018 5:44 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900131
Accession #: 180816-15384
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrosterone or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 10

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900134

Collected by: C. BOLD

Accession #: 180816-15385

Auckland, . 1010

Collected: 08/08/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:44 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 43

DOB:
Sex:
Collected by: C. BOLD
Collected: 08/02/2018
Received: 08/16/2018 5:45 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900129
Accession #: 180816-15386
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 48

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900132

Collected by: B INGLIS

Accession #: 180816-15387

Auckland, . 1010

Collected: 08/08/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:45 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 41

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900110

Collected by: MOE MOSES

Accession #: 180816-15388

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:45 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrosterone or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 39

Client: NZIFBB

DOB:

Account #: 301382

119 Wellesley St W

Sex:

Requisition #: 900144

Collected by: B INGLIS

Accession #: 180816-15389

Auckland, . 1010

Collected: 08/04/2018

Specimen Type: Urine

Phone: (011)649-3684

Received: 08/16/2018 5:46 PM

Reported: 08/18/2018 5:44 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 34

DOB:
Sex:
Collected by: C BOLD
Collected: 08/08/2018
Received: 08/16/2018 6:02 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900149
Accession #: 180816-16007
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 29

DOB:
Sex:
Collected by: C BOLD
Collected: 08/08/2018
Received: 08/16/2018 6:02 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900148
Accession #: 180816-16008
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 8

DOB:
Sex:
Collected by: C BOLD
Collected: 08/04/2018
Received: 08/16/2018 6:02 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900150
Accession #: 180816-16009
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 37

DOB:
Sex:
Collected by: B INGLIS
Collected: 08/04/2018
Received: 08/16/2018 6:03 PM
Reported: 08/18/2018 5:44 PM

Account #: 301382
Requisition #: 900147
Accession #: 180816-16010
Specimen Type: Urine

Client: NZIFBB
119 Wellesley St W
Auckland, . 1010
Phone: (011)649-3684

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.